

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/709,649	10/709,649 05/19/2004		Jana Rosenblatt	102241-0005	3648	
21125	7590	10/13/2006		EXAMINER		
		NEN & FISH LLP	DOAN, ROBYN KIEU			
WORLD TR 155 SEAPOR	-		ART UNIT	PAPER NUMBER		
BOSTON, N			3732			
				DATE MAILED: 10/13/2006	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	Applicant(s)				
		10/709,649	ROSENBLATT, JANA					
	Office Action Summary	Examiner	Art Unit					
		Robyn Doan	3732					
Period fo	The MAILING DATE of this communication a or Reply	appears on the cover sheet	with the correspondence a	ddress				
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REFERENCE IS LONGER, FROM THE MAILING Insions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. It period for reply is specified above, the maximum statutory period to reply within the set or extended period for reply will, by state of the period by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUI  1.136(a). In no event, however, may od will apply and will expire SIX (6) M tute, cause the application to become	NICATION.  To a reply be timely filed  HONTHS from the mailing date of this example ABANDONED (35 U.S.C. § 133).	•				
Status								
1)[🖂	Responsive to communication(s) filed on 23	August 2006						
<u> </u>	<u></u>	his action is non-final.						
<u> </u>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
٠,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dienositi	on of Claims	· Expans quayro, roos s	.51 11, 100 0.0. 210.					
	Claim(s) 1,5-13 and 15-18 is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
	Claim(s) is/are allowed.							
_	Claim(s) <u>1,5-13 and 15-18</u> is/are rejected.							
·	Claim(s) is/are objected to.							
8)[]	Claim(s) are subject to restriction and	l/or election requirement.						
Applicati	on Papers	-						
9)	The specification is objected to by the Exami	ner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.								
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	ınder 35 U.S.C. § 119							
_	Acknowledgment is made of a claim for forei		. § 119(a)-(d) or (f).					
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of the priority documents have been received in this National Stage							
	application from the International Bure	` '/'						
* 5	see the attached detailed Office action for a li	st of the certified copies n	ot received.					
Attachmen	t(s)							
1) 🛛 Notic	e of References Cited (PTO-892)	4) Interview	w Summary (PTO-413)					
	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper N	o(s)/Mail Date					
	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	The state of the s	Notice of Informal Patent Application Other: <u>Attachments A, B</u> .					

**Art Unit: 3732** 

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 5-8, 10-13 and 15-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kokuni (Japanese Pat. # 09028458A) in view of Chateau (U.S. Pat. # 3,718,145) and Vaughan (U.S. Pat. # 6,540,756).

With regard to claim 1, Kokuni discloses a template for applying simulated eyebrows to a person's face (figs. 1-2) comprising a sheet of material (2) having a shape adapted to be disposed on a portion of a person's face and including upper, lower edges, right and left side edges (see attachment A), a cutout portion formed at a substantial midpoint of the lower edge and having a shape adapted to be positioned around a substantial portion of a person's nose (see attachment A). Kokuni further discloses a right eye hole (3) formed between the right edge and a substantial midpoint of the sheet, a left eye hole (3) formed between the left edge and a substantial midpoint of the sheet, a right eyebrow slot (4) formed above the right eye hole and below the upper edge, a left eyebrow slot (4) forming above the left eye hole and below the upper edge (see fig. 1). The right and left eyebrows slots having a desired shape of an

Page 3

eyebrow area to be simulated on a person's face (fig. 2). Kokuni fails to show a vertical line extending from the upper edge to the cutout portion at a substantially midpoint of the sheet, a horizontal line extending from the right eyebrow slot to the left eyebrow slot. Chateau discloses an eyebrow template (12, fig. 1) comprising markings (19 "fleur-delis") being in a midpoint of the template. It is noted that fig. 1 shows "fleur-de lis" comprises four leaves, two of which lying on a horizontal direction which defines as a first marking extending from the upper edge of the template to the cutout portion at 18 at a substantially midpoint of the sheet and the other two leaves lying on a vertical direction which defines a second marking extending from the left side of the eyebrow slot to the right side of the eyebrow slot. Vaughan discloses a template (12, fig. 1) for marking the treatment portal on the skin of the person comprising a vertical line (at 18) and a horizontal line (at 18) defining a cross hair for marking lines. It would have been obvious to one having an ordinary skill in the art at the time the invention was made to employ the markings as taught by Chateau into the eyebrow template of Kokuni for the purpose of centering the template to facilitate symmetrical application of the eyebrow makeup. It would also have been obvious to one having an ordinary skill in the art at the time the invention was made to employ the cross hair lines as taught by Vaughan into the template of Kokuni in view of Chateau in order to facilitate in centering the lines. In regard to claim 5, Koluni shows the right and left eyebrow slots each having inner portion (see attachment B) that extends in an upward direction and an outer portion (see attachment B) that extends in a downward direction. In regard to claim 5, Kokuni shows the right and left eyebrow slots each having inner portion (see attachment B) that

extends in an upward direction and an outer portion (see attachment B) that extends in a downward direction. In regard to claims 11 and 12, Kukuni in view of Vaughan fail to the sheet of the material being made of flexible material, semi-rigid and being preshaped to conform to a portion of a wearer. Chateau discloses the template being made of flexible material (col. 2, lines 61-62). It would have been obvious to one having an ordinary skill in the art at the time the invention was made to employ the flexible material as taught by Chateau into the template of Kukuni in view of Vaughan in order to conform to a portion of the wearer's face. And it would have been obvious to one having an ordinary skill in the art at the time the invention was made to employ the material of the sheet being semi-rigid, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416. In regard to claim 13, Kokuni shows positioning a template on a person's face (fig. 2) such that an upper edge of the template being positioned on the person's forehead, a lower edge of the template being positioned on the person's cheekbones, a right edge of the template being positioned on the person's right temple and a left edge of the template being positioned on the person's left temple; the template also having right and left eye holes (3). As discussed above, Kukuni in view of Chateau and Vaughan shows a horizontal marking and a vertical marking, therefore, Kokuni inherently shows horizontally aligning the horizontal marking of the template with the person's nose and vertically aligning the vertical marking of the template with the person's eyes and ears. Kokuni also discloses a step of applying a simulated eyebrow (6, fig. 2) within right and left eyebrow slots (4)

Art Unit: 3732

formed in the template above the right and left eye holes. In regard to claim 15, Kokuni discloses using an eyebrow pencil (fig. 2) to draw eyebrows with the right and left eyebrow slots. In regard to claims 16-17, Kokuni discloses the template being positioned on a person's face by using a strap (5, page 2, paragraph 12 of the attached translation). In regard to claim 18, as discussed above in claim 1, Kokuni discloses an eyebrow template comprising all the claimed limitations as discussed above in claim 1; Kokuni in view of Vaughan do not show a plurality of templates and each having a size that differs relative to one another and a first marking extending from the upper edge to the cutout portion at a substantially midpoint of the sheet, a second marking extending from the right eyebrow slot to the left eyebrow slot. Chateau as discussed above shows a first and second markings, Chateau further discloses a kit of eyebrow stencils comprising a plurality of eyebrow templates and each having a size that differs relative to one another (col. 3, lines 70-74). It would have been obvious to one having an ordinary skill in the art at the time the invention was made to employ the markings as taught by Chateau into the eyebrow template of Kokuni in view of Vaughan for the purpose of centering the template to facilitate symmetrical application of the eyebrow makeup and the way of providing a plurality of eyebrows templates and each having a size that differs relative to one another as taught by Chateau into the device of Kokuni in view of Vaughan in order to provide the user with multiple selections of templates.

Application/Control Number: 10/709,649

Art Unit: 3732

Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kokuni in view of Chateau and Vaughan as applied to claim 1 above, and further in view of Hirzel (IDS cited reference).

With regard to claim 9, Kokuni in view of Chateau and Vaughan disclose an eyebrow template comprising all the claimed limitations in claims 1, 7-8 as discussed above except for the connecting element having a hole formed adjacent each of the right and left edges of the sheet. Hirzel discloses an eyebrow template (fig. 2) comprising a sheet of material (10) having a right (at 75, fig. 1) and left edges, a fastening element (24) and a connecting element having a hole (18, fig. 1) formed adjacent to each of the right and left edges for effective receive the fastening element. It would have been obvious to one having an ordinary skill in the art at the time the invention was made to employ the connecting hole as taught by Hirzel into the eyebrow template of Kokuni in view of Chateau and Vaughan in order to interchange a variety of fastening elements.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robyn Doan whose telephone number is (571) 272-4711. The examiner can normally be reached on Mon-Fri 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached on (571) 272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3732

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robyn Doan Examiner Art Unit 3732 Altachment A

用アレート9は、眉6を刻る場合に使用するものである。化粧用アレート9は、覆面板10に、接眼孔11を設け、覆面板10の上録10aを眉形状の曲線としている。覆面板10を顔に被り、接眼孔11が目の前にくるようにすると、覆面板10の上録10aがちょうど眉6の上部に位置するので、この上録10aの形状に合わせて眉6を割れば、眉6の形状をきれいに整えることができる。

【0017】上録10aの形状は、特に限定していないので、上録10aの曲線形状が異なる化粧用プレート9 10を何種類か用意しておき、その中から選択できるようにしておけば、各人の好みに応じた形状の眉に登えることができる。

【0018】図5は第4実施例の化粧用アレートの使用 状態を示す正面図である。図5に示す第4実施例の化粧 用アレート12も、第3実施例の化粧用アレート9と同 様、眉を剃る場合に使用するものである。使い方は、第 3実施例の化粧用アレート9とほぼ同じであるが、化粧 用アレート12は、透明な素材で覆面板13を作成している。覆面板13が透明であるため、接眼孔が不要であるとともに、覆面板8全体を通して外が見えるので視野が広く、刻毛がやり易い。また、接眼孔がないので、剃った眉毛等が目に入るのを防止することもできる。

【0019】これまでに述べてきたものは、実施例に過ぎず、本発明はこれら実施例に限定されるものではない。したがって、形状、素材等については、実施例のものに限定されるものではなく、同様の作用、効果を有するものであれば、他の形状、素材等を採用することができる。

[0020]

【発明の効果】本発明により、以下のような効果を奏す。

ることができる.

【0021】(a) 本発明の化粧用アレートでは、覆面板に所定の眉形状をした切欠孔を設けているので、この切欠孔に合わせて眉を描けば、眉の形状をきれいに仕上げることができる。

【0022】(b) また、本発明の化粧用プレートでは、覆面板の上縁を所定の眉形状としているので、この上縁に合わせて眉毛を剃れば、眉の形状をきれいに整えることができる。

0 【0023】(c)本発明の化粧用プレートは、アイマスクのように、顔に被るだけで使用できるので、使い方は極めて簡単である。

【図面の簡単な説明】

【図1】第1実施例の化粧用アレートを示す斜視図である。

【図2】第1実施例の化粧用プレートの使用状態を示す正面図である。

【図3】第2実施例の化粧用プレートの使用状態を示す正面図である。

20 【図4】第3実施例の化粧用プレートの使用状態を示す正面図である。

【図5】第4実施例の化粧用プレートの使用状態を示す正面図である。

【符号の説明】

1.7.9.12 化粧用プレート


2,8,10,13 覆面板

3,11 接眼孔

4 切欠孔

5 ゴムバンド

30 6 窟



Attachment B

用アレート9は、眉6を剃る場合に使用するものである。化粧用アレート9は、覆面板10に、接眼孔11を設け、覆面板10の上降10aを眉形状の曲線としている。覆面板10を顔に被り、接眼孔11が目の前にくるようにすると、覆面板10の上降10aがちょうど眉6の上部に位置するので、この上段10aの形状に合わせて眉6を剃れば、眉6の形状をきれいに整えることができる。

【0017】上縁10aの形状は、特に限定していないので、上縁10aの曲線形状が異なる化粧用プレート9 10を何種類か用意しておき、その中から選択できるようにしておけば、各人の好みに応じた形状の眉に發えることができる。

【0018】図5は第4実施例の化粧用プレートの使用 状態を示す正面図である。図5に示す第4実施例の化粧 用プレート12も、第3実施例の化粧用プレート9と同 様、眉を剃る場合に使用するものである。使い方は、第 3実施例の化粧用プレート9とほぼ同じであるが、化粧 用プレート12は、透明な紫村で覆面板13を作成している。覆面板13が透明であるため、接眼孔が不要であるとともに、覆面板8全体を通して外が見えるので視野が広く、剃毛がやり易い。また、接眼孔がないので、剃った眉毛等が目に入るのを防止することもできる。

【0019】これまでに述べてきたものは、実施例に過ぎず、本発明はこれら実施例に限定されるものではない。したがって、形状、素材等については、実施例のものに限定されるものではなく、同様の作用、効果を有するものであれば、他の形状、素材等を採用することができる。

[0020]

【発明の効果】本発明により、以下のような効果を奏す

ることができる。

【0021】(a) 本発明の化粧用プレートでは、覆面板に所定の眉形状をした切欠孔を設けているので、この切欠孔に合わせて眉を描けば、眉の形状をきれいに仕上げることができる。

【0022】(b)また、本発明の化粧用アレートでは、覆面板の上縁を所定の眉形状としているので、この上縁に合わせて眉毛を剃れば、眉の形状をきれいに整えることができる。

10 【0023】(c)本発明の化粧用アレートは、アイマスクのように、顔に被るだけで使用できるので、使い方は極めて簡単である。

【図面の簡単な説明】

【図1】第1実施例の化粧用プレートを示す斜視図である。

【図2】第1実施例の化粧用プレートの使用状態を示す正面図である。

【図3】第2実施例の化粧用プレートの使用状態を示す正面図である。

20 【図4】第3実施例の化粧用プレートの使用状態を示す正面図である。

【図5】第4実施例の化粧用プレートの使用状態を示す正面図である。

【符号の説明】

1,7,9,12 化粧用プレート

2, 8, 10, 13 覆面板

3,11 接眼孔

4 切欠孔

5 ゴムパンド

30 6 眉

